Journal of Immunological Methods, 145 (1991) 272–273
© 1991 Elsevier Science Publishers B.V. All rights reserved 0022-1759/91/$03.50

Contents to volume 145 (1991)

Numbers 1–2 – 15 December 1991

Research papers

Synthetic peptide conjugates with horseradish peroxidase and β-galactosidase for use in epitope-specific immunocytochemistry and ELISA
J.D. Laman, A.J.M. Van den Eertwegh, C. Deen, N. Vermeulen, W.J.A. Boersma and E. Claassen (The Netherlands) 1

An isotype-specific spot-ELISA for the enumeration of antibody-secreting hybridomas and the determination of isotype switch variants
J.M. Coco-Martin, P. Koolwijk, C.A.M. Van der Velden-de Groot and E.C. Beuvery (The Netherlands) 11

Detection of antibody to the PreS2 sequence of the hepatitis B virus envelope protein using an immuno-ligand assay with a silicon sensor detection system
W.M. Hurni, W.J. Miller, R.F. Zuk and V.T. Kung (U.S.A.) 19

A simple and rapid slide blot method to quantify cytokine-mRNA in small numbers of lymphocytes
M. Schwarz, S. Weber, J.-M. Seifert and W. Holter (Austria) 27

Measurement of IgE specific to a major allergen of house dust mite: Der p I
A. Didierlaurent and M. Garcelon (France) 33

BLT esterase activity as an alternative to chromium release in cytotoxic T cell assays
A. Suhrbier, A. Fernan, S.R. Burrows, A. Saul and D.J. Moss (Australia) 43

Simultaneous use of poly- and monoclonal antibodies as enzyme tracers in a one-step enzyme immunoassay for the detection of hepatitis B surface antigen
P. Palomäki (Finland) 55

Ultrasensitive two-site assays for inhibin-A and activin-A using monoclonal antibodies raised to synthetic peptides
N. Groome (U.K.) 65

Production of monoclonal antibodies specific for African swine fever virus following in vitro primary immunization of mouse splenocytes in the presence of stimulated T lymphocyte supernatants
G. Federspiel, K.C. McCullough and U. Kihm (Switzerland) 71

Human serum induced opsonization of immunoglobulin G-coated polystyrene microspheres with complement components C3 and C4 as measured by flow cytometry
M.O. Spycher, M. Spycher-Burger, P.J. Späth and J.J. Burckhardt (Switzerland) 83

The immune response in the rat to *Streptococcus pneumoniae* type 3 and type 4 capsular polysaccharide. Detection by double immunocytochemical staining of antibody-containing cells in situ and ELISA
G.P.J.M. Van den Dobbelsteen, N. Van Rooijen, T. Sminia and E.P. Van Rees (The Netherlands) 93

An improved immunomagnetic procedure for the isolation of highly purified human blood eosinophils
T.T. Hansel, I.J.M. De Vries, T. Iff, S. Rihs, M. Wandzilak, S. Betz, K. Blaser and C. Walker (Switzerland) 105

Comparison of two techniques for targeting the production of monoclonal antibodies against particular antigens
S.K.-h. Ou, C. McDonald and P.H. Patterson (U.S.A.) 111

A simple and improved method to generate human hybridomas
T. Kudo, H. Saeki and T. Tachibana (Japan) 119

Human group II phospholipase A_2. Characterization of monoclonal antibodies and immunochemical quantitation of the protein in synovial fluid
C.R. Stoner, L.M. Reik, M. Donohue, W. Levin and R.M. Crowl (U.S.A.) 127

A novel method for synchronizing a B cell lymphoma
P.C. Isakson, J. Purkerson, K. Catron and T.P. Bender (U.S.A.) 137

An improved method of loading pH-sensitive liposomes with soluble proteins for class I restricted antigen presentation
F. Zhou, B.T. Rouse and L. Huang (U.S.A.) 143

Improvements and important considerations of an ex vivo assay to study *Candida albicans*-splenic tissue interactions
M.H. Riesselman, T. Kanbe and J.E. Cutler (U.S.A.) 153

A sensitive ELISA for measuring recombinant human interleukin-3 in human plasma or serum
R. Papoian, F. Duffy, M. Sanner and E. Wilt (Switzerland) 161

Immunoassay in the presence of water-soluble polymers
V.M. Guzov, S.A. Usanov and V.L. Chashchin (U.S.S.R.) 167

Journal of Immunological Methods, 145 (1991) 272–273
© 1991 Elsevier Science Publishers B.V. All rights reserved 0022-1759/91/$03.50

Contents to volume 145 (1991)

Numbers 1–2 – 15 December 1991

Research papers

Synthetic peptide conjugates with horseradish peroxidase and β-galactosidase for use in epitope-specific immunocytochemistry and ELISA
J.D. Laman, A.J.M. Van den Eertwegh, C. Deen, N. Vermeulen, W.J.A. Boersma and E. Claassen (The Netherlands) 1

An isotype-specific spot-ELISA for the enumeration of antibody-secreting hybridomas and the determination of isotype switch variants
J.M. Coco-Martin, P. Koolwijk, C.A.M. Van der Velden-de Groot and E.C. Beuvery (The Netherlands) 11

Detection of antibody to the PreS2 sequence of the hepatitis B virus envelope protein using an immuno-ligand assay with a silicon sensor detection system
W.M. Hurni, W.J. Miller, R.F. Zuk and V.T. Kung (U.S.A.) 19

A simple and rapid slide blot method to quantify cytokine-mRNA in small numbers of lymphocytes
M. Schwarz, S. Weber, J.-M. Seifert and W. Holter (Austria) 27

Measurement of IgE specific to a major allergen of house dust mite: Der p I
A. Didierlaurent and M. Garcelon (France) 33

BLT esterase activity as an alternative to chromium release in cytotoxic T cell assays
A. Suhrbier, A. Fernan, S.R. Burrows, A. Saul and D.J. Moss (Australia) 43

Simultaneous use of poly- and monoclonal antibodies as enzyme tracers in a one-step enzyme immunoassay for the detection of hepatitis B surface antigen
P. Palomäki (Finland) 55

Ultrasensitive two-site assays for inhibin-A and activin-A using monoclonal antibodies raised to synthetic peptides
N. Groome (U.K.) 65

Production of monoclonal antibodies specific for African swine fever virus following in vitro primary immunization of mouse splenocytes in the presence of stimulated T lymphocyte supernatants
G. Federspiel, K.C. McCullough and U. Kihm (Switzerland) 71

Human serum induced opsonization of immunoglobulin G-coated polystyrene microspheres with complement components C3 and C4 as measured by flow cytometry
M.O. Spycher, M. Spycher-Burger, P.J. Späth and J.J. Burckhardt (Switzerland) 83

The immune response in the rat to *Streptococcus pneumoniae* type 3 and type 4 capsular polysaccharide. Detection by double immunocytochemical staining of antibody-containing cells in situ and ELISA
G.P.J.M. Van den Dobbelsteen, N. Van Rooijen, T. Sminia and E.P. Van Rees (The Netherlands) 93

An improved immunomagnetic procedure for the isolation of highly purified human blood eosinophils
T.T. Hansel, I.J.M. De Vries, T. Iff, S. Rihs, M. Wandzilak, S. Betz, K. Blaser and C. Walker (Switzerland) 105

Comparison of two techniques for targeting the production of monoclonal antibodies against particular antigens
S.K.-h. Ou, C. McDonald and P.H. Patterson (U.S.A.) 111

A simple and improved method to generate human hybridomas
T. Kudo, H. Saeki and T. Tachibana (Japan) 119

Human group II phospholipase A_2. Characterization of monoclonal antibodies and immunochemical quantitation of the protein in synovial fluid
C.R. Stoner, L.M. Reik, M. Donohue, W. Levin and R.M. Crowl (U.S.A.) 127

A novel method for synchronizing a B cell lymphoma
P.C. Isakson, J. Purkerson, K. Catron and T.P. Bender (U.S.A.) 137

An improved method of loading pH-sensitive liposomes with soluble proteins for class I restricted antigen presentation
F. Zhou, B.T. Rouse and L. Huang (U.S.A.) 143

Improvements and important considerations of an ex vivo assay to study *Candida albicans*-splenic tissue interactions
M.H. Riesselman, T. Kanbe and J.E. Cutler (U.S.A.) 153

A sensitive ELISA for measuring recombinant human interleukin-3 in human plasma or serum
R. Papoian, F. Duffy, M. Sanner and E. Wilt (Switzerland) 161

Immunoassay in the presence of water-soluble polymers
V.M. Guzov, S.A. Usanov and V.L. Chashchin (U.S.S.R.) 167

Commercial serum-free media: hybridoma growth and monoclonal antibody production
E. Mariani, A.R. Mariani, M.C.G. Monaco, E. Lalli, M. Vitale and A. Facchini (Italy) 175
The JAM test. A simple assay for DNA fragmentation and cell death
P. Matzinger (U.S.A.) 185
Cloning of human heterohybridoma cell lines using chronic lymphocytic leukemia B cells as a feeder layer
B. Sanchez, M.M. Robledo, J. Yelamos, M.F. Gonzalez, R. Magariño, M.P. Bermudo and A. Nuñez-Roldan (Spain) 193
Rapid colorimetric assay for the quantification of leukemia inhibitory factor (LIF) and interleukin-6 (IL-6)
M. Ohno and T. Abe (Japan) 199
A sensitive reverse passive haemagglutination immunoassay for hepatic caeruloplasmin
W. Davis and C.A. Seymour (U.K.) 205
Hybridoma antibody production in vitro in type II serum-free medium using Nutridoma-SP supplements. Comparisons with in vivo methods
G. Federspiel, K.C. McCullough and U. Kihm (Switzerland) 213
An isoelectric focusing method for the study of the humoral response against the antigen 85 complex of *Mycobacterium bovis* BCG in the different forms of leprosy
A. Drowart, P. Launois, M. De Cock, K. Huygen, J. De Bruyn, J.C. Yernault and J.P. Van Vooren (Belgium, Senegal) 223
Kinetic analysis of monoclonal antibody-antigen interactions with a new biosensor based analytical system
R. Karlsson, A. Michaelsson and L. Mattsson (Sweden) 229
Determination of non-immune binding of immunoglobulin G to *Staphylococcus aureus* by enzyme-linked immunosorbent assays
L.E. Linder, G.D. Shockman and M.-L. Sund (Sweden, U.S.A.) 241
One-step method for establishing 8-azaguanine-resistant hybridomas suitable for the preparation of triomas
E. Kontsekova, M. Novak, I. Macikova and P. Kontsek (Czechoslovakia) 247

Technical note
Reduction of rubella ELISA background using heat denatured sample buffer
C.A. Mauracher, L.A. Mitchell and A.J. Tingle (Canada) 251

Short communication
Differential binding properties of protein A and protein G for dog immunoglobulins
Z. Peng, F.E.R. Simons and A.B. Becker (Canada) 255

Letters to the editors
An improved colorimetric assay for tumor necrosis factor using WEHI 164 cells cultured on novel microtiter plates
C.D. Morgan, K.C. Mills, D.L. Lefkowitz and S.S. Lefkowitz (U.S.A.) 259
One-step purification of murine monoclonal antibodies of the IgM class
J.-P. Bouvet and R. Pirès (France) 263

Software notice
PROBIT: a computer program analysis
R.S. Wallis (U.S.A.) 267

Announcements 269

Contents to volume 145 (1991) 272

Notes to authors 274